

SAFETY DATA SHEET

Issuing Date 05-Aug-2015

Revision Date 20-Jul-2015

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

| Product Identifier | |
|-------------------------|----------------------|
| Product Name/Catalog ID | 82025-974, 89800-052 |

Other means of identificationProduct Description1000 µg/mL Copper

Recommended use of the chemical and restrictions on useRecommended UseLaboratory chemicals.

Uses advised against

. .

No information available

Details of the supplier of the safety data sheet Company VWR International, LLC Radnor Corporate Center Building One, Suite 200 P.O. Box 6660 100 Matsonford Road Radnor, PA 19087-8660 Tel: 610-386-1700

Emergency Telephone Number

Chemtrec 1-800-424-9300 (US) Canutec - 1-613-996-6666 (Canada)

2. HAZARDS IDENTIFICATION

GHS


Classification

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|------------|
| Serious Eye Damage/Eye Irritation | Category 1 |

Label Elements

Danger

Hazard Statements Causes skin irritation Causes serious eye damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

• Toxic to aquatic life with long lasting effects Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % |
|---------------|-----------|----------|
| Nitric acid | 7697-37-2 | 3 |
| Copper | 7440-50-8 | 0.1 |

4. FIRST AID MEASURES

First Aid Measures

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.
Consult a physician.

Skin Contact Wash skin with soap and water.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Special Exposure Hazards Arising from the Substance/Mixture

Thermal decomposition can lead to release of irritating gases and vapors
Explosion Data
Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

| E | Personal | precauti | ions, | protecti | ive equ | ipmen | t and | emer | gency | / proced | lures |
|---|----------|----------|-------|----------|---------|-------|-------|------|-------|----------|-------|
| | | | | | | | | | | | |

Personal Precautions Ensure adequate ventilation.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. Should not be released into the environment. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Cleaning up Dam up. Neutralise with lime; soda. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

| Conditions for safe storage, including any incompatibilities | | | |
|--|--|--|--|
| Technical measures/Precautions | Keep containers tightly closed in a dry, cool and well-ventilated place. | | |
| Incompatible Products | None known based on information supplied. | | |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|---|--------------------------------------|-----------------------------|
| Nitric acid | 4 ppm STEL | TWA: 2 ppm | IDLH: 25 ppm |
| 7697-37-2 | TWA: 2 ppm | TWA: 5 mg/m ³ | TWA: 2 ppm |
| | | (vacated) TWA: 2 ppm | TWA: 5 mg/m ³ |
| | | (vacated) TWA: 5 mg/m ³ | STEL: 4 ppm |
| | | (vacated) STEL: 4 ppm | STEL: 10 mg/m ³ |
| | | (vacated) STEL: 10 mg/m ³ | |
| Copper | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.1 mg/m ³ | IDLH: 100 mg/m ³ |
| 7440-50-8 | | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |
| | | (vacated) TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ |

Appropriate engineering controls

Engineering Measures

Individual protection measures, such as personal protective equipment

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use |
|------------------------|---|
| Hygiene Measures | appropriate certified respirators Handle in accordance with good industrial hygiene and safety practice. |

Section 9. Physical and Chemical Properties

Ensure adequate ventilation, especially in confined areas.

Information on basic physical and chemical properties

Physical State Appearance Odor

Property pH VALUE **Melting Point/Range** Boiling Point/Range **Evaporation rate** Flammability (solid, gas) Vapor Pressure Vapor Density **Relative Density Specific Gravity** Water Solubility Partition coefficient: n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity

Explosive Properties Oxidizing Properties

Other information **VOC Content**

Liquid Clear / Blue Odorless

Values

No data available No data available 100 °C No data available Miscible No data available No data available No data available No data available

No information available No information available

No information available.

10. STABILITY AND REACTIVITY

Reactivity No data available.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid None known.

Incompatible Materials Reducing agents

Hazardous Decomposition Products Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | Product does not present an acute toxicity hazard based on known information |
|---------------------|--|
| Inhalation | There is no data available for this product. |
| Eye Contact | There is no data available for this product. |
| Skin Contact | There is no data available for this product. |
| Ingestion | There is no data available for this product. |

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------------------|-----------|-------------|--|
| Nitric acid 7697-37-2 (3) | - | - | = 130 mg/m³(Rat)4 h = 67 ppm (Rat)4 h |
| Copper 7440-50-8(0.1) | - | - | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization | No information available. |
|----------------------|---------------------------|
| Mutagenic Effects | No information available. |
| Carcinogenic effects | |

| Chemical Name | ACGIH | IARC | NTP | OSHA | | |
|-------------------------|---------------------------|---------------------------|-----|------|--|--|
| Nitric acid | | Group 2A | | Х | | |
| 7697-37-2 | | | | | | |
| Reproductive Toxicity | No information available. | | | | | |
| STOT - single exposure | No information | No information available. | | | | |
| STOT - repeated exposur | No information available. | | | | | |
| Aspiration Hazard | No information | No information available. | | | | |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

| ATEmix (inhalation-dust/mist) | 726.7 mg/L |
|-------------------------------|------------|
| ATEmix (inhalation-vapor) | 2233 mg/L |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects

Very toxic to aquatic organisms May cause long-term adverse effects in the aquatic environment

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Microtox | Daphnia Magna (Water Flea) |
|--------------------------|-------------------|--|----------|-------------------------------|
| Nitric acid 7697-37-2 | | 72: 96 h Gambusia affinis mg/L LC50 | | |

82025-974, 89800-052

| Canada | | 0.0000 0.0450, 00 h | E050 40 h 0.02 m m/l |
|-----------|---------------------------|------------------------------|-----------------------|
| Copper | EC50 0.0426 - 0.0535 mg/L | | EC50 48 h = 0.03 mg/L |
| 7440-50-8 | 72 h EC50 0.031 - 0.054 | Pimephales promelas mg/L | (Daphnia magna) |
| | mg/L 96 h | LC50 0.3: 96 h Pimephales | |
| | | promelas mg/L LC50 static | |
| | | 0.2: 96 h Pimephales | |
| | | promelas mg/L LC50 | |
| | | flow-through 0.052: 96 h | |
| | | Oncorhynchus mykiss mg/L | |
| | | LC50 flow-through 1.25: 96 h | |
| | | Lepomis macrochirus mg/L | |
| | | LC50 static 0.3: 96 h | |
| | | Cyprinus carpio mg/L LC50 | |
| | | semi-static 0.8: 96 h | |
| | | Cyprinus carpio mg/L LC50 | |
| | | static 0.112: 96 h Poecilia | |
| | | reticulata mg/L LC50 | |
| | | flow-through | |

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

| Chemical Name | Log Pow |
|---------------|---------|
| Nitric acid | -2.3 |
| 7697-37-2 | |

Other Adverse Effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products Contaminated Packaging Dispose of in accordance with federal, state and local regulations Should not be released into the environment Do not re-use empty containers.

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Nitric acid | Toxic |
| 7697-37-2 | Corrosive |
| | Ignitable |
| Copper | Toxic |
| 7440-50-8 | |

14. Transport information

| IMDG/IMO 14.1. UN-No 14.2. Proper Shipping Name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Marine Pollutant 14.6. Special Provisions 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable. None. None No information available. |
|---|---|
| <u>RID</u> 14.1. UN-No | UN3264 |

| 14.2. Proper Shipping Name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions | Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable. None None |
|---|---|
| ADR 14.1. UN-No 14.2. Proper Shipping Name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions | UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable. None None |
| ICAO 14.1. UN-No 14.2. Proper Shipping Name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions | UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable. None None |
| IATA-DGR 14.1. UN-No 14.2. Proper Shipping Name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions | UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable None None |

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Complies |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard

No

| Chronic Health Hazard | No |
|-----------------------------------|----|
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Nitric acid 7697-37-2 | 1000 lb | | | Х |
| Copper 7440-50-8 | | Х | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|--------------------------|--------------------------|---------------------------------------|--|
| Nitric acid 7697-37-2 | 1000 lb | 1000 lb | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------|------------|---------------|--------------|
| Nitric acid 7697-37-2 | Х | X | X |
| Copper 7440-50-8 | Х | X | X |

U.S. EPA Label Information

16. OTHER INFORMATION

20-Jul-2015

Revision Date Revision Note No information available Disclaimer

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and its Affiliates shall not be held liable for any damage resulting from handling.

End of MSDS